

Change Notice

Heartsaver First Aid CPR AED Instructor Manual

Print ISBN 978-1-61669-831-7, AHA Product Number 20-1130

eBook ISBN 978-1-61669-816-4, AHA Product Number 20-3114

Print Page Number	Location	Original Text	Change	When Change Was Made
14	Part 1 > Course Equipment > Table 1. CPR AED Equipment Checklist > 1st column, Equipment, quantity > Row 12	Adult manikin with shirt, 1/every 2 students	Adult manikin with shirt, 1/every 3 students	At next printing or update after 6/23/21
14	Part 1 > Course Equipment > Table 1. CPR AED Equipment Checklist > 1st column, Equipment, quantity > Row 13	Child manikin with shirt, 1/every 2 students	Child manikin with shirt, 1/every 3 students	At next printing or update after 6/23/21
14	Part 1 > Course Equipment > Table 1. CPR AED Equipment Checklist > 1st column, Equipment, quantity > Row 15	AED Trainer with adult AED training pads, 1/every 2 students	AED Trainer with adult AED training pads, 1/every 3 students	At next printing or update after 6/23/21
45	Heartsaver First Aid CPR AED Blended-Learning Course Outline (In-Person or Virtual Classroom) for the Heartsaver Total Course Path	Student-instructor ratio 6:1; student-manikin ratio 1:1	Student-instructor ratio 6:1; student-manikin ratio 3:1 in-person, 1:1 virtual	At next printing or update after 9/29/21
46	Heartsaver First Aid CPR AED Blended-Learning Course Outline (In-Person or Virtual Classroom) > Row 9		[Replace “Practice” icon with “Practice While Watching” icon.]	At next printing or update after 8/4/21
49	Adult CPR and AED Skills Testing Checklist > * under Adult Compressions box	*CPR feedback devices preferred for accuracy.	*CPR feedback devices are required for accuracy.	At next printing or update after 9/29/21
50	Adult CPR and AED Skills Testing Critical Skills Descriptors > 2. Cycle 1: Performs high-quality... > 3rd bullet > 1st sub bullet	– Use of a commercial feedback device/manikin is highly recommended	– Use of a commercial feedback device/manikin is required	At next printing or update after 9/29/21
51	Understanding the Child CPR Skills Testing Checklist > Assessment and Activation > 2nd paragraph	Note: There will be no other rescuers, and the student will have to phone 9-1-1 on their cell phone. There will be no AED nearby.	Note: The shout for help is heard and a person comes to help; they are told to call 9-1-1. The instructor will say, "Here's the barrier device; I'm going to call 9-1-1" and then offer the barrier device to the	At next printing or update after 9/29/21

Print Page Number	Location	Original Text	Change	When Change Was Made
			student to continue with breaths.	
53	Heartsaver Child CPR Skills Testing Checklist > Scenario	Scenario: You are home alone with a child, and the child suddenly collapses in front of you. The scene is safe and you have a cell phone with you but no AED nearby. Demonstrate what you would do next.	Scenario: You are at a park and notice a child suddenly collapse. The scene is safe and you have a cell phone with you but no AED nearby. Demonstrate what you would do next.	At next printing or update after 03/12/2021
53	Heartsaver Child CPR Skills Testing Checklist > Scenario > 2nd sentence	The scene is safe and you have a cell phone with you but no AED nearby.	The scene is safe, but you do not have a cell phone or AED nearby.	At next printing or update after 4/6/2021
53	Heartsaver Child CPR Skills Testing Checklist > 1st paragraph after Assessment and Activation blue box > 2nd sentence	I am going to phone 9-1-1 and get the AED.	I am going to phone 9-1-1. {delete "and get the AED"}	At next printing or update after 4/15/2021
54	Child CPR Skills Testing Critical Skills Descriptors > Item 1, 2nd bullet	Shouts for help and phones 9-1-1.	Phones 9-1-1.	At next printing or update after 4/6/2021
57	Part 4: Additional Resources > Heartsaver® Infant CPR Skills Testing Checklist > Infant Compressions box	Uses 2 fingers or 2 thumbs of 1 hand, or the heel of 1 hand, to give compressions in the center of the chest, just below the nipple line	Uses 2 fingers of 1 hand, 2 thumbs, or the heel of 1 hand to give compressions in the center of the chest, just below the nipple line	At next printing or update after 6/15/2021
LP 12	Part 5: Heartsaver First Aid CPR AED Lesson Plans, Instructor-Led Course > Adult CPR AED Lesson Plans > Lesson 2: Adult CPR		{Reorder the sections (and their accompanying icons, text, and bullets) on this page to the following: Practice While Watching: Giving Breaths (Mouth-to-Mouth), Play Video, Video Pauses, and Practice While Watching: Using a Pocket Mask to Give Breaths.}	At next printing or update after 03/12/2021
LP 14	Part 6, Heartsaver First Aid CPR AED Lesson Plans, Blended Learning (In-Person Classroom) > Lesson 6, Infant CPR		Add the following after Instructor Tips and before Practice While Watching: Chest Compressions: [Insert Play Video Icon] Play Videos The videos will show and discuss • Steps leading up to infant CPR	At next printing or update after 4/15/22

Print Page Number	Location	Original Text	Change	When Change Was Made
			<ul style="list-style-type: none">• Infant chest compressions [Insert Pause Video Icon] Video Pauses• Have students position themselves at the side or at the feet of their manikins per the video instructions.• Tell students they will practice infant chest compressions and will complete 2 sets of 30 compressions. Students need to count out loud while providing compressions.	