

# Change Notice

## *Family & Friends CPR Student Manual*

ISBN 978-1-61669-416-6, AHA Product Number 15-1016

Print Page Number	Location	Original Text	Change	When Change Was Made
ii	Bottom of the page	To find out about any updates or corrections to this text, visit <a href="http://www.heart.org/cpr">www.heart.org/cpr</a> , navigate to the page for this course, and click on “Updates.”	To find out about any updates or corrections to this text, visit <a href="http://heart.org/courseupdates">heart.org/courseupdates</a> .	At next printing or update after 7/31/2023
4	Part 1 > Topic 1: Adult Hands-Only CPR and AED > Definitions and Key Facts > 2nd paragraph, last sentence	The fourth and fifth links are for healthcare professionals who provide advanced care after a cardiac arrest.	The fourth and fifth links are the advanced care provided by emergency responders and hospital professionals when they take over care. The sixth link is recovery.	At next printing or update after 7/31/2023
4	Part 1 Topic 1: Adult Hands-Only CPR and AED > Definitions and Key Facts > Figure 1		{Replace image with 2020 updated version of the adult Chain of Survival. See attached illustration.}	At next printing or update after 7/31/2023
8	Part 1 > Topic 1: Adult Hands-Only CPR and AED > Action: Give Compressions > Step 2, 2nd column	Move clothes out of the way.	Quickly move bulky clothes out of the way. If a person’s clothes are difficult to remove, you can still provide compressions over clothing.	At next printing or update after 7/31/2023
17	Part 1 > Topic 2: Adult CPR With Breaths and AED > Action: Give Compressions > Step 2, 2nd column	Move clothes out of the way.	Quickly move bulky clothes out of the way. If a person’s clothes are difficult to remove, you can still provide compressions over clothing.	At next printing or update after 7/31/2023
34	Part 2 > Pediatric Chain of Survival > 2nd paragraph		{Add this sentence to the end of the paragraph: “The sixth link is recovery.”}	At next printing or update after 7/31/2023

<b>Print Page Number</b>	<b>Location</b>	<b>Original Text</b>	<b>Change</b>	<b>When Change Was Made</b>
34	Part 2 > Pediatric Chain of Survival > Figure 16		{Replace image with 2020 updated version of the pediatric Chain of Survival. See attached illustration.}	At next printing or update after 7/31/2023
38	Part 2 > Topic 2: Give Compressions > Action: Give Compressions > Step 2, 2nd column;	Move clothes out of the way.	Quickly move bulky clothes out of the way. If a child's clothes are difficult to remove, you can still provide compressions over clothing.	At next printing or update after 7/31/2023
38	Part 2 > Topic 2: Give Compressions > Action: Give Compressions > Step 4, 2nd column	<b>at least 2 inches</b>	<b>about 2 inches</b>	At next printing or update after 7/31/2023
59	Part 3 > Topic 2: Give Compressions > Action: Give Compressions	Look at Figure 32 to see the correct placement of your fingers on the infant's chest. Place 2 fingers of 1 hand on the breastbone just below the nipple line. Push straight down about 1½ inches (at least one third the depth of the chest).	Look at Figure 32A to see the correct placement of your fingers on the infant's chest. Another way to give infant chest compressions is to use 2 thumbs. Figure 32B shows the correct placement of your thumbs on the infant's chest. If you can't provide compressions that are at least one third the depth of the infant's chest, or about 1½ inches, you can use the heel of 1 hand.	At next printing or update after 7/31/2023
59	Part 3 > Topic 2: Give Compressions > Action: Give Compressions > Step 2, 2nd column	Move clothes out of the way.	Quickly move bulky clothes out of the way. If an infant's clothes are difficult to remove, you can still provide compressions over clothing.	At next printing or update after 7/31/2023

Print Page Number	Location	Original Text	Change	When Change Was Made
59	Part 3 > Topic 2: Give Compressions > Action: Give Compressions > Step 3, 2nd column	Use 2 fingers of 1 hand to give compressions. Place your fingers on the breast-bone just below the nipple line (Figure 32).	Use 2 fingers, 2 thumbs, or 1 hand to give compressions. <ul style="list-style-type: none"> <li>• 2 fingers: Place your fingers on the breastbone, just below the nipple line (Figure 32A).</li> <li>• 2 thumbs: Place both thumbs side by side on the breastbone, just below the nipple line. Encircle the infant’s chest and support their back with the fingers of both hands (Figure 32B).</li> <li>• 1 hand: Use the heel of 1 hand to give compressions. Place your hand on the breastbone, just below the nipple line.</li> </ul>	At next printing or update after 7/31/2023
60	Part 3 > Topic 2: Give Compressions > Action: Give Compressions > Figure 32		{Added image showing the rescuer’s thumbs on the infant’s breastbone and the rescuer’s hands encircling the infant’s chest (see attached). Change the caption to “ <b>Figure 32. A,</b> Use 2 fingers of 1 hand to give compressions. Place your fingers on the breastbone just below the nipple line. Avoid the tip of the breastbone. <b>B,</b> Use 2 thumbs side by side on the breastbone, just below the nipple line. Encircle the infant's chest and support their back with the fingers of both hands.”}	At next printing or update after 7/31/2023

Figure 1.



Figure 16.



Figure 32B.

