

Change Notice

2015 Handbook of Emergency Cardiovascular Care for Healthcare Providers

Print ISBN 978-1-61669-397-8, AHA Product Number 15-1000

eBook ISBN 978-1-61669-419-7, AHA Product Number 15-3105

Print Page Number	Location	Original Text	Change	When Change Was Made
22	Use of IV rtPA for Acute Ischemic Stroke: ACLS Inclusion and Exclusion Characteristics, first bullet under "Exclusion Criteria"	<ul style="list-style-type: none"> • Head trauma or prior stroke in previous 3 months 	<ul style="list-style-type: none"> • Significant head trauma or prior stroke in previous 3 months 	At next printing or update after 12/21/2015
22	Use of IV rtPA for Acute Ischemic Stroke: ACLS Inclusion and Exclusion Characteristics, fourth bullet under "Exclusion Criteria"	<ul style="list-style-type: none"> • History of previous intracranial hemorrhage 	<ul style="list-style-type: none"> • History of previous intracranial hemorrhage <ul style="list-style-type: none"> – Intracranial neoplasm, arteriovenous malformation, or aneurysm – Recent intracranial or intraspinal surgery 	At next printing or update after 12/21/2015
22	Use of IV rtPA for Acute Ischemic Stroke: ACLS Inclusion and Exclusion Characteristics, sixth bullet under "Exclusion Criteria"	<ul style="list-style-type: none"> • Evidence of active bleeding on examination 	<ul style="list-style-type: none"> • Active internal bleeding 	At next printing or update after 12/21/2015
25	The Acute Coronary Syndromes Algorithm, in the orange box at the bottom of the center column	{ A new bullet was inserted after the bullet "Recurrent/persistent ST deviation" }	<ul style="list-style-type: none"> • Ventricular tachycardia 	At next printing or update after 9/22/2015
38	Bottom half of the page, under the heading "Prasugrel," in the last bullet	at least 5 days before surgery.	at least 7 days before surgery.	At next printing or update after 4/4/2016